ELSEVIER

Journal of Organometallic Chemistry 513 (1996) 291

Journal of Organometallic Chemistry

Author Index of Volume 513

Adams, C.J., 255
Albertin, G., 147
Antoniutti, S., 147
Asaro, F., 193

Bordignon, E., 147
Bravo, J., 63
Bruce, M.I., 255

Calogero, S., 137
Campana, C.F., 17
Casas, J.S., 63
Castaño, M.V., 63
Cecchi, P., 137
Chernega, A.N., 247
Cifuentes, M.P., 85, 201
Clark, G.R., 107
Contreras, R., 7
Cordero, M.B., 63
Corey, J.Y., 17
Corrigan, J.F., 273
Costa, G., 193
Couce, M.D., 77

Dai, C., 273
Das, B.K., 1
De Bellefon, C., 155
Deelman, B.-J., 281
De Felice, V., 97
De Renzi, A., 97
Dreos, R., 193

Faraglia, G., 77
Ferrara, M.L., 97
Fonseca, I., 71

Gerding, R., 163
Gioia Lobbia, G., 137
Green, M.L.H., 247
Grenouillet, P., 155
Grigsby, W.J., 173
Grün, K., 31

Hemling, H., 49
Hidai, M., 231
Hirth, U.-A., 31
Hitchcock, P.B., 281
Hosomizu, M., 231
Huhmann, J.L., 17
Humphrey, M.G., 85, 201

Kanatzidis, M.G., 1
Kawabata, J.-I., 231
Kerber, R.C., 277
Kruck, T., 135
Kumar Das, V.G., 105
Kuwata, S., 231

Lappert, M.F., 281
Lee, H.-K., 281
Leung, W.-P., 281
Löw, R., 213

Maiwald, S., 37, 49
Malisch, W., 31
Marder, T.B., 273
Martin-Villamil, R.M., 71
Mehnert, C.P., 247
Metzler, M.R., 107
Mizobe, Y., 231
Motevalli, M., 239
Muir, K.W., 181

Ng, S.W., 105
Noltemeyer, M., 31
Norman, N.C., 273

Olmstead, M.M., 173
Oñate, A., 71

Panunzi, A., 97
Pellizer, G., 193
Pétillon, F.Y., 181
Poder-Guillou, S., 181
Power, P.P., 173

Rath, N.P., 17
Rodriguez, J.-G., 71
Russo, U., 77

Sánchez, A., 63
Santini, C., 137
Scherer, M., 135
Schollhammer, P., 181
Schumann, H., 49
Schwarz, W., 213
Shah, D., 239
Sieler, J., 37
Sindellari, L., 77
Skelton, B.W., 201, 255
Sordo, J., 63
Stringer, G., 273
Sullivan, A.C., 239

Talarmin, J., 181
Taube, R., 37, 49
Taylor, N.J., 273

Uhl, W., 163

Valderrama, M., 7
Valle, G., 77, 137
Vester, A., 163
Von Philipsborn, W., 193

Wagner, F.E., 137
Waldbaum, B.R., 277
Westerhausen, M., 213
Whitaker, G., 107
White, A.H., 201, 255
Willis, A.C., 85
Windisch, H., 49
Wong, W.-T., 27
Wong, W.-Y., 27
Woodgate, P.D., 107

Yufit, D.S., 181

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 513 (1996) 293–299

Journal of Organometallic Chemistry

Subject Index of Volume 513

Ab initio calculations
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213

Alkenyls
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal structure of $[Mo_2Cp_2(\mu\text{-}SPh)\{\mu\text{-}\sigma:\eta^2\text{-}C(CH_3)=CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181

Alkylidyne cluster
Synthesis of a novel planar hexaosmium carbonyl cluster: crystal structure of $[HOs_6(CO)_{20}(\mu\text{-}\eta^2\text{-}NC_5H_4CH=CH)]$ (W.-Y. Wong and W.-T. Wong), 27

Alkylrhodoximes
Steric effects in organometallic compounds. A ^{103}Rh NMR study of alkylrhodoximes (F. Asaro, G. Costa, R. Dreos, G. Pellizer and W. Von Philipsborn), 193

Alkynyl compounds
Preparation of the alkynyl–hydride complexes $MH(C\equiv CR)\{PPh(OEt)_2\}_4$ of iron and ruthenium (G. Albertin, S. Antoniutti and E. Bordignon), 147

Allyl
Synthesis and reactions of [Mo(2,6-lutidine)(η-allyl)] derivatives (C.P. Mehnert, A.N. Chernega and M.L.H. Green), 247
XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: $Li[Nd(\eta^3\text{-}C_3H_5)_4]\cdot 1{,}5$Dioxan, $Li[Nd(\pi\text{-}C_5H_5)(\eta^3\text{-}C_3H_5)_3]\cdot 2$Dioxan und $Li[Nd(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}C_3H_5)_3]\cdot 3$Dimethylglykolether (R. Taube, S. Maiwald und J. Sieler), 37
XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe $La(\eta^3\text{-}C_3H_5)_3\cdot 1{,}5$ Dioxan und $Nd(\eta^3\text{-}C_3H_5)_3\cdot$Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49

Aluminium–aluminium bond
The decomposition reaction of the dialane radical anion $[R_2Al\text{-}AlR_2]^-$ in DME(II): crystal structures of the aluminium glycolates $[R_2Al(OCH_2)_2]K(DME)$ and $R_2Al(OCH_2)_2Al(R)(OCH_2)_2AlR_2$ ($R = CH(SiMe_3)_2$) (W. Uhl, R. Gerding and A. Vester), 163

(Cyclopentadienyl)aluminium complexes
Cp^*AlR_2 compounds (R = Me, Et, ^{i}Bu): synthesis and structure of novel aluminium organyls with a pentamethylcyclopentadienyl substituent as well as structure of analogous $Cp'AlR_2$ compounds (Cp' = Cp, MeCp; R = Me, Et) (M. Scherer and T. Kruck), 135

Amine
Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with functional phosphines. X-ray structures of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(dppm)(CO)_{12}\cdot CHCl_3$ $Ru_5(\mu_5\text{-}C_2H)(\mu\text{-}PPh_2)_2(\mu\text{-}P,N\text{-}PPh_2C_6H_4NH\text{-}2)(\mu\text{-}CO)(CO)_{10}$, $Ru_4\{\mu_4\text{-}C_2PPh_2[Ru(\mu\text{-}OH)(C,P\text{-}2\text{-}CHMeC_6H_4PPh_2\text{-}2)(CO)_2]\}(\mu\text{-}PPh_2)(CO)_{10}\cdot CHCl_3$ and $Ru_5(\mu\text{-}H)_2\{\mu_5\text{-}PPh_2C_2CHC(C_6H_4PPh_2\text{-}2)\}(\mu\text{-}PPh_2)(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255

η-Arene
Synthesis and reactions of [Mo(2,6-lutidine)(η-allyl)] derivatives (C.P. Mehnert, A.N. Chernega and M.L.H. Green), 247

Aza-allyl
Novel monoanionic di-*N*,*N*'-centred chelating ligands and their C_1 and C_2 symmetrical zirconium complexes (B.-J. Deelman, P.B. Hitchcock, M.F. Lappert, H.-K. Lee and W.-P. Leung), 281

Bimetallic
Structure and reactivity of (Dibenzo[b,e]fulvalene)$Mo_2(CO)_6$ (R.C. Kerber and B.R. Waldbaum), 277

Bis(tri-*iso*-propylsilyl)phosphane
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213

Boron
Organotin(IV) polypyrazolylborates. IX. Tetrakis(4-methyl-1*H*-pyrazol-1-yl)borates. Characterisation, Mössbauer study and X-ray crystal structure of $Cl_3Sn(\mu\text{-}4\text{-}MePz)_3B(4\text{-}MePz)$ (G. Gioia Lobbia, P. Cecchi, C. Santini, S. Calogero, G. Valle and F.E. Wagner), 137
Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex $[Co(PMe_3)_3(Bcat)_2]$ (cat = $1,2\text{-}O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273

Boryl
Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex $[Co(PMe_3)_3(Bcat)_2]$ (cat = $1,2\text{-}O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273

Bridging thiolate
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal structure of $[Mo_2Cp_2(\mu\text{-}SPh)\{\mu\text{-}\sigma:\eta^2\text{-}C(CH_3)=CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181

Butadiene
XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: $Li[Nd(\eta^3\text{-}C_3H_5)_4]\cdot 1{,}5$Dioxan, Li[Nd

Elsevier Science S.A.

(π-C_5H_5)(η^3-C_3H_5)$_3$] · 2Dioxan und Li[Nd(η^5-C_5Me_5)(η^3-C_3H_5)$_3$] · 3Dimethylglykolether (R. Taube, S. Maiwald und J. Sieler), 37

XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe La(η^3-C_3H_5)$_3$ · 1,5 Dioxan und Nd(η^3-C_3H_5)$_3$ · Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49

Calcium

NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213

Carbonyl

High nuclearity ruthenium carbonyl cluster chemistry. IV. Reactivity of [Ru_{10}(μ-H)(μ_6-C)$(CO)_{24}$]$^-$ towards trimethylphosphite or bis(diphenylphosphino)acetylene; X-ray crystal structure of [PPh_4][Ru_{10}(μ-H)(μ_6-C)$(CO)_{22}${P$(OMe)_3$}$_2$] (M.P. Cifuentes, M.G. Humphrey and A.C. Willis), 85

Reactions of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)$(CO)_{13}$ with functional phosphines. X-ray structures of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)(dppm)-$(CO)_{12}$ · $CHCl_3$ Ru_5(μ_5-C_2H)(μ-PPh_2)$_2$(μ-*P*,*N*-$PPh_2C_6H_4$NH-2)(μ-CO)$(CO)_{10}$, Ru_4{μ_4-C_2PPh_2[Ru(μ-OH)(*C*,*P*-2-$CHMeC_6H_4PPh_2$-2)$(CO)_2$]} (μ-PPh_2)$(CO)_{10}$ · $CHCl_3$ and Ru_5(μ-H)$_2${μ_5-$PPh_2C_2CHC(C_6H_4PPh_2$-2)}(μ-PPh_2)$(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255

Reaction products of CO with square-planar platinum(II)-(*N*,*N*-chelate) complexes: synthesis and reactivity (V. De Felice, A. De Renzi, M.L. Ferrara and A. Panunzi), 97

Ruthenium clusters with nitrogen ligands. V. Pyridyl ligands on triruthenium cores. X-ray structures of Ru_3(μ-H)$_2$(μ-NC_5H_4)$_2(CO)_8$ and Ru_3(μ_3-η^2-$PPhCH_2PPh_2$) (μ-NC_5H_4)$(CO)_8$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 201

Synthesis and reactions of [((η^6)-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of diastereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107

Carbonyl cluster

Synthesis of a novel planar hexaosmium carbonyl cluster: crystal structure of [$HOs_6(CO)_{20}$(μ-η^2-NC_5H_4CH=CH)] (W.-Y. Wong and W.-T. Wong), 27

Catalysis

XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: Li[Nd(η^3-C_3H_5)$_4$] · 1,5Dioxan, Li[Nd(π-C_5H_5)(η^3-C_3H_5)$_3$] · 2Dioxan und Li[Nd(η^5-C_5Me_5)(η^3-C_3H_5)$_3$] · 3Dimethylglykolether (R. Taube, S. Maiwald und J. Sieler), 37

XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe La(η^3-C_3H_5)$_3$ · 1,5 Dioxan und Nd(η^3-C_3H_5)$_3$ · Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49

Chalcogenides

Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1

Chelating amide

Novel monoanionic di-*N*,*N'*-centred chelating ligands and their C_1 and C_2 symmetrical zirconium complexes (B.-J. Deelman, P.B. Hitchcock, M.F. Lappert, H.-K. Lee and W.-P. Leung), 281

Chemical shifts

Steric effects in organometallic compounds. A ^{103}Rh NMR study of alkylrhodoximes (F. Asaro, G. Costa, R. Dreos, G. Pellizer and W. Von Philipsborn), 193

Chromium

Synthesis and reactions of [((η^6)-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of diastereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107

Cluster

High nuclearity ruthenium carbonyl cluster chemistry. IV. Reactivity of [Ru_{10}(μ-H)(μ_6-C)$(CO)_{24}$]$^-$ towards trimethylphosphite or bis(diphenylphosphino)acetylene; X-ray crystal structure of [PPh_4][Ru_{10}(μ-H)(μ_6-C)$(CO)_{22}${P$(OMe)_3$}$_2$] (M.P. Cifuentes, M.G. Humphrey and A.C. Willis), 85

Reactions of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)$(CO)_{13}$ with functional phosphines. X-ray structures of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)(dppm)-$(CO)_{12}$ · $CHCl_3$ Ru_5(μ_5-C_2H)(μ-PPh_2)$_2$(μ-*P*,*N*-$PPh_2C_6H_4$NH-2)(μ-CO)$(CO)_{10}$, Ru_4{μ_4-C_2PPh_2[Ru(μ-OH)(*C*,*P*-2-$CHMeC_6H_4PPh_2$-2)$(CO)_2$]} (μ-PPh_2)$(CO)_{10}$ · $CHCl_3$ and Ru_5(μ-H)$_2${μ_5-$PPh_2C_2CHC(C_6H_4PPh_2$-2)}(μ-PPh_2)$(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255

Ruthenium clusters with nitrogen ligands. V. Pyridyl ligands on triruthenium cores. X-ray structures of Ru_3(μ-H)$_2$(μ-NC_5H_4)$_2(CO)_8$ and Ru_3(μ_3-η^2-$PPhCH_2PPh_2$) (μ-NC_5H_4)$(CO)_8$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 201

Cobalt

Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex [$Co(PMe_3)_3(Bcat)_2$] (cat = 1,2-$O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273

Complexes

Tautomerism in coordinated 1-phenyl-5-thione-1,2,3,4-tetrazole (HL). Synthesis and crystal structure of [$SnMe_2$(phen)L_2] (phen = 1,10-phenanthroline) (J. Bravo, M.B. Cordero, J.S. Casas, M.V. Castaño, A. Sánchez and J. Sordo), 63

Crystal structure

High nuclearity ruthenium carbonyl cluster chemistry. IV. Reactivity of [Ru_{10}(μ-H)(μ_6-C)$(CO)_{24}$]$^-$ towards trimethylphosphite or bis(diphenylphosphino)acetylene; X-ray crystal structure of [PPh_4][Ru_{10}(μ-H)(μ_6-C)$(CO)_{22}${P$(OMe)_3$}$_2$] (M.P. Cifuentes, M.G. Humphrey and A.C. Willis), 85

Outer-sphere coordination of *o*-phenanthroline in bis[aquachlorotri(*p*-chlorophenyl)tin·*o*-phenanthroline] (S.W. Ng and V.G. Kumar Das), 105

Polymeric chains from [{Ph_2SiOLi · THF)$_2$O}$_2$] and linear dicoordinating nitrogen bases. Crystal X-ray structures of [{Ph_2SiOLi)$_2$O · THF}$_2$ · 2DABCO], DABCO = 1,4-diazabicyclo[2.2.2]octane, and [{Ph_2SiOLi)$_2$O · THF}$_2$ · 2{4,4'}-bipyridine] (M. Motevalli, D. Shah and A.C. Sullivan), 239

Reactions of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)$(CO)_{13}$ with functional phosphines. X-ray structures of Ru_5(μ_5-C_2PPh_2)(μ-PPh_2)(dppm)-$(CO)_{12}$ · $CHCl_3$ Ru_5(μ_5-C_2H)(μ-PPh_2)$_2$(μ-*P*,*N*-$PPh_2C_6H_4$NH-2)(μ-CO)$(CO)_{10}$, Ru_4{μ_4-C_2PPh_2[Ru(μ-OH)(*C*,*P*-2-$CHMeC_6H_4PPh_2$-2)$(CO)_2$]} (μ-PPh_2)$(CO)_{10}$ · $CHCl_3$ and Ru_5(μ-H)$_2${μ_5-$PPh_2C_2CHC(C_6H_4PPh_2$-2)}(μ-PPh_2)$(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255

Ruthenium clusters with nitrogen ligands. V. Pyridyl ligands on triruthenium cores. X-ray structures of Ru_3(μ-H)$_2$(μ-NC_5H_4)$_2(CO)_8$ and Ru_3(μ_3-η^2-$PPhCH_2PPh_2$) (μ-NC_5H_4)$(CO)_8$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 201

Synthesis and reactions of [((η^6)-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of di-

astereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107
Synthesis and reactions of [Mo(2,6-lutidine)(η-allyl)] derivatives (C.P. Mehnert, A.N. Chernega and M.L.H. Green), 247
Synthesis of a novel planar hexaosmium carbonyl cluster: crystal structure of $[HOs_6(CO)_{20}(\mu\text{-}\eta^2\text{-}NC_5H_4CH{=}CH)]$ (W.-Y. Wong and W.-T. Wong), 27
$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173

Cyclic voltammogram
Preparation and properties of diruthenium complexes with bridging disulfide and thiolate ligands $[Cp^*Ru(\mu\text{-}S_2)(\mu\text{-}SR)_2RuCp^*]$ ($Cp^* = \eta^5\text{-}C_5Me_5$, R = Pr^i and $PhCH_2$) (Y. Mizobe, M. Hosomizu, S. Kuwata, J.-i. Kawabata and M. Hidai), 231

[2 + 1]-Cycloadditions
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2\overline{W\text{-}PH(t\text{-}Bu)\text{-}X}$ (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31

Cyclopentaannulation
Synthesis and reactions of [((η^6)-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of diastereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107

Cyclopentadienyl
$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173
XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: $Li[Nd(\eta^3\text{-}C_3H_5)_4] \cdot 1{,}5Dioxan$, $Li[Nd(\pi\text{-}C_5H_5)(\eta^3\text{-}C_3H_5)_3] \cdot 2Dioxan$ und $Li[Nd(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}C_3H_5)_3] \cdot 3Dimethylglykolether$ (R. Taube, S. Maiwald und J. Sieler), 37

Cyclopentadienyl complexes
Pentamethylcyclopentadienyliridium(III) complexes containing tertiary phosphorus chalcogenide ligands: crystal structure of $[(\eta^5C_5Me_5)Ir\{PO(OMe)_2\}\{\eta^2(SPPh_2)_2CH_2\text{-}S,S'\}]BF_4 \cdot 0.5Me_2CO$ (M. Valderrama and R. Contreras), 7

Dinuclear complexes
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal structure of $[Mo_2Cp_2(\mu\text{-}SPh)\{\mu\text{-}\sigma : \eta^2\text{-}C(CH_3){=}CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181

Diorganotin(IV)
Synthesis, characterisation and X-ray crystal structures of diorganotin(IV) complexes with 2-mercaptopyridine derivatives (M.D. Couce, G. Faraglia, U. Russo, L. Sindellari and G. Valle), 77

Disulfide
Preparation and properties of diruthenium complexes with bridging disulfide and thiolate ligands $[Cp^*Ru(\mu\text{-}S_2)(\mu\text{-}SR)_2RuCp^*]$ ($Cp^* = \eta^5\text{-}C_5Me_5$, R = Pr^i and $PhCH_2$) (Y. Mizobe, M. Hosomizu, S. Kuwata, J.-i. Kawabata and M. Hidai), 231

Diynes
A practical synthesis of ethynylferrocene from ferrocene carboxaldehyde: structure of 1,4-diferrocenyl-1,3-butadiyne (J.-G. Rodriguez, A. Oñate, R.M. Martin-Villamil and I. Fonseca), 71

Electrochemistry
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal structure of $[Mo_2Cp_2(\mu\text{-}SPh)\{\mu\text{-}\sigma : \eta^2\text{-}C(CH_3){=}CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181

Esters of 2-mercaptopyridine-5-carboxylic acid
Synthesis, characterisation and X-ray crystal structures of diorganotin(IV) complexes with 2-mercaptopyridine derivatives (M.D. Couce, G. Faraglia, U. Russo, L. Sindellari and G. Valle), 77

Ferrocenes
A practical synthesis of ethynylferrocene from ferrocene carboxaldehyde: structure of 1,4-diferrocenyl-1,3-butadiyne (J.-G. Rodriguez, A. Oñate, R.M. Martin-Villamil and I. Fonseca), 71

Five-coordinate complexes
Reaction products of CO with square-planar platinum(II)-(*N*,*N*-chelate) complexes: synthesis and reactivity (V. De Felice, A. De Renzi, M.L. Ferrara and A. Panunzi), 97

Fluxionality
Coordination chemistry of mono- and di-nitriles in $[Ru_3(CO)_{12-n}(RCN)_n]$ ($n = 1$–3): influence of the CO/nitrile ratio on fluxionality (P. Grenouillet and C. De Bellefon), 155

Fulvalene
Structure and reactivity of (Dibenzo[b,e]fulvalene)$Mo_2(CO)_6$ (R.C. Kerber and B.R. Waldbaum), 277

Glycolate
The decomposition reaction of the dialane radical anion $[R_2Al\text{-}AlR_2]^-$ in DME(II): crystal structures of the aluminium glycolates $[R_2Al(OCH_2)_2]K(DME)$ and $R_2Al(OCH_2)_2Al(R)(OCH_2)_2AlR_2$ ($R = CH(SiMe_3)_2$) (W. Uhl, R. Gerding and A. Vester), 163

Hafnium
Reaction of $(POR)M(OAc)_2$ (M = Zr, Hf) with ^{n}BuLi and solid state structure of $[(TPP)Zr(\mu\text{-}OH)_2]_2$ (J.L. Huhmann, J.Y. Corey, N.P. Rath and C.F. Campana), 17

Hydrides
Preparation of the alkynyl–hydride complexes $MH(C{\equiv}CR)\{PPh(OEt)_2\}_4$ of iron and ruthenium (G. Albertin, S. Antoniutti and E. Bordignon), 147

Hydrothermal synthesis
Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1

Hydroxy
Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with functional phosphines. X-ray structures of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(dppm)(CO)_{12} \cdot CHCl_3$ $Ru_5(\mu_5\text{-}C_2H)(\mu\text{-}PPh_2)_2(\mu\text{-}P,N\text{-}PPh_2C_6H_4NH\text{-}2)(\mu\text{-}CO)(CO)_{10}$, $Ru_4\{\mu_4\text{-}C_2PPh_2[Ru(\mu\text{-}OH)(C,P\text{-}2\text{-}CHMeC_6H_4PPh_2\text{-}2)(CO)_2]\}(\mu\text{-}PPh_2)(CO)_{10} \cdot CHCl_3$ and $Ru_5(\mu\text{-}H)_2\{\mu_5\text{-}PPh_2C_2CHC(C_6H_4PPh_2\text{-}2)\}(\mu\text{-}PPh_2)(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255

Imido complexes
$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173

Iridium
Pentamethylcyclopentadienyliridium(III) complexes containing tertiary phosphorus chalcogenide ligands: crystal structure of $[(\eta^5C_5Me_5)Ir\{PO(OMe)_2\}\{\eta^2(SPPh_2)_2CH_2\text{-}S,S'\}]BF_4 \cdot 0.5Me_2CO$ (M. Valderrama and R. Contreras), 7

Iron
Preparation of the alkynyl–hydride complexes $MH(C{\equiv}CR)\{PPh(OEt)_2\}_4$ of iron and ruthenium (G. Albertin, S. Antoniutti and E. Bordignon), 147
Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1

Kharasch reaction
Structure and reactivity of (Dibenzo[b,e]fulvalene)$Mo_2(CO)_6$ (R.C. Kerber and B.R. Waldbaum), 277

Lanthanum
XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe $La(\eta^3\text{-}C_3H_5)_3 \cdot 1{,}5$ Dioxan und $Nd(\eta^3\text{-}C_3H_5)_3 \cdot$ Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49
Lithium
Novel monoanionic di-*N*,*N*′-centred chelating ligands and their C_1 and C_2 symmetrical zirconium complexes (B.-J. Deelman, P.B. Hitchcock, M.F. Lappert, H.-K. Lee and W.-P. Leung), 281
Polymeric chains from $[\{Ph_2SiOLi \cdot THF)_2O\}_2]$ and linear dicoordinating nitrogen bases. Crystal X-ray structures of $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2DABCO]$, DABCO = 1,4-diazabicyclo[2.2.2]octane, and $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2\{4,4'\}$-bipyridine] (M. Motevalli, D. Shah and A.C. Sullivan), 239

Magnesium
$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173
Manganese
Synthesis and reactions of [((η^6)-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of diastereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107
Mechanisms
Coordination chemistry of mono- and di-nitriles in $[Ru_3(CO)_{12-n}(RCN)_n]$ ($n = 1$–3): influence of the CO/nitrile ratio on fluxionality (P. Grenouillet and C. De Bellefon), 155
Metal carbonyls
Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1
Metal clusters
Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1
Metallasiloxane
Polymeric chains from $[\{Ph_2SiOLi \cdot THF)_2O\}_2]$ and linear dicoordinating nitrogen bases. Crystal X-ray structures of $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2DABCO]$, DABCO = 1,4-diazabicyclo[2.2.2]octane, and $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2\{4,4'\}$-bipyridine] (M. Motevalli, D. Shah and A.C. Sullivan), 239
Metal vapour synthesis
Synthesis and reactions of [Mo(2,6-lutidine)(η-allyl)] derivatives (C.P. Mehnert, A.N. Chernega and M.L.H. Green), 247
Molybdenum
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal structure of $[Mo_2Cp_2(\mu\text{-}SPh)\{\mu\text{-}\sigma : \eta^2\text{-}C(CH_3){=}CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181
Structure and reactivity of (Dibenzo[b,e]fulvalene)$Mo_2(CO)_6$ (R.C. Kerber and B.R. Waldbaum), 277
Synthesis and reactions of [Mo(2,6-lutidine)(η-allyl)] derivatives (C.P. Mehnert, A.N. Chernega and M.L.H. Green), 247
Mössbauer
Organotin(IV) polypyrazolylborates. IX. Tetrakis(4-methyl-1*H*-pyrazol-1-yl)borates. Characterisation, Mössbauer study and X-ray crystal structure of $Cl_3Sn(\mu\text{-}4\text{-}MePz)_3B(4\text{-}MePz)$ (G. Gioia Lobbia, P. Cecchi, C. Santini, S. Calogero, G. Valle and F.E. Wagner), 137
Synthesis, characterisation and X-ray crystal structures of diorganotin(IV) complexes with 2-mercaptopyridine derivatives (M.D. Couce, G. Faraglia, U. Russo, L. Sindellari and G. Valle), 77

Neodymium
XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: $Li[Nd(\eta^3\text{-}C_3H_5)_4] \cdot 1{,}5$Dioxan, $Li[Nd(\pi\text{-}C_5H_5)(\eta^3\text{-}C_3H_5)_3] \cdot 2$Dioxan und $Li[Nd(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}C_3H_5)_3] \cdot 3$Dimethylglykolether (R. Taube, S. Maiwald und J. Sieler), 37
XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe $La(\eta^3\text{-}C_3H_5)_3 \cdot 1{,}5$ Dioxan und $Nd(\eta^3\text{-}C_3H_5)_3 \cdot$ Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49
Nitrile coordination
Coordination chemistry of mono- and di-nitriles in $[Ru_3(CO)_{12-n}(RCN)_n]$ ($n = 1$–3): influence of the CO/nitrile ratio on fluxionality (P. Grenouillet and C. De Bellefon), 155
NMR
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213
Synthesis, characterisation and X-ray crystal structures of diorganotin(IV) complexes with 2-mercaptopyridine derivatives (M.D. Couce, G. Faraglia, U. Russo, L. Sindellari and G. Valle), 77

Olefin–acetylide coupling
Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with functional phosphines. X-ray structures of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(dppm)(CO)_{12} \cdot CHCl_3$ $Ru_5(\mu_5\text{-}C_2H)(\mu\text{-}PPh_2)_2(\mu\text{-}P,N\text{-}PPh_2C_6H_4NH\text{-}2)(\mu\text{-}CO)(CO)_{10}$, $Ru_4\{\mu_4\text{-}C_2PPh_2[Ru(\mu\text{-}OH)(C,P\text{-}2\text{-}CHMeC_6H_4PPh_2\text{-}2)(CO)_2]\}$ $(\mu\text{-}PPh_2)(CO)_{10} \cdot CHCl_3$ and $Ru_5(\mu\text{-}H)_2\{\mu_5\text{-}PPh_2C_2CHC(C_6H_4PPh_2\text{-}2)\}(\mu\text{-}PPh_2)(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255
Organoaluminium compounds
Cp^*AlR_2 compounds (R = Me, Et, ^{i}Bu): synthesis and structure of novel aluminium organyls with a pentamethylcyclopentadienyl substituent as well as structure of analogous $Cp'AlR_2$ compounds (Cp′ = Cp, MeCp; R = Me, Et) (M. Scherer and T. Kruck), 135
Oxidative addition
Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex $[Co(PMe_3)_3(Bcat)_2]$ (cat = 1,2-$O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273

Paramagnetic
Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex $[Co(PMe_3)_3(Bcat)_2]$ (cat = 1,2-$O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273

Pentamethylcyclopentadienyl ligand
Cp*AlR_2 compounds (R = Me, Et, ^{i}Bu): synthesis and structure of novel aluminium organyls with a pentamethylcyclopentadienyl substituent as well as structure of analogous Cp'AlR_2 compounds (Cp' = Cp, MeCp; R = Me, Et) (M. Scherer and T. Kruck), 135
PH-bond
[2 + 1]-Cycloadditions
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2W$-PH(t-Bu)-X (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31
Phosphametallacycles
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2W$-PH(t-Bu)-X (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31
Phosphanide
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213
Phosphenium complexes
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2W$-PH(t-Bu)-X (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31
Phosphine
Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with functional phosphines. X-ray structures of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)$(dppm)$(CO)_{12} \cdot CHCl_3$ $Ru_5(\mu_5\text{-}C_2H)(\mu\text{-}PPh_2)_2(\mu\text{-}P,N\text{-}PPh_2C_6H_4NH\text{-}2)(\mu\text{-}CO)(CO)_{10}$, $Ru_4\{\mu_4\text{-}C_2PPh_2[Ru(\mu\text{-}OH)(C,P\text{-}2\text{-}CHMeC_6H_4PPh_2\text{-}2)(CO)_2]\}$ $(\mu\text{-}PPh_2)(CO)_{10} \cdot CHCl_3$ and $Ru_5(\mu\text{-}H)_2\{\mu_5\text{-}PPh_2C_2CHC(C_6H_4PPh_2\text{-}2)\}(\mu\text{-}PPh_2)(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255
Synthesis and molecular structure of the paramagnetic Co(II) bis(boryl) complex $[Co(PMe_3)_3(Bcat)_2]$ (cat = 1,2-$O_2C_6H_4$) (C. Dai, G. Stringer, J.F. Corrigan, N.J. Taylor, T.B. Marder and N.C. Norman), 273
Phosphonate complexes
Pentamethylcyclopentadienyliridium(III) complexes containing tertiary phosphorus chalcogenide ligands: crystal structure of $[(\eta^5C_5Me_5)Ir\{PO(OMe)_2\}\{\eta^2(SPPh_2)_2CH_2\text{-}S,S'\}]BF_4 \cdot 0.5Me_2O$ (M. Valderrama and R. Contreras), 7
Phosphorus
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2W$-PH(t-Bu)-X (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31
Platinum(II)
Reaction products of CO with square-planar platinum(II)-(*N,N*-chelate) complexes: synthesis and reactivity (V. De Felice, A. De Renzi, M.L. Ferrara and A. Panunzi), 97
Polymerization
XLVIII. Synthese und Struktur der ersten neutralen Tris(allyl)-lanthanoid-Komplexe La(η^3-$C_3H_5)_3 \cdot 1{,}5$ Dioxan und Nd(η^3-$C_3H_5)_3 \cdot$ Dioxan und ihre Eignung als "single site"-Katalysatoren für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, S. Maiwald, H. Hemling und H. Schumann), 49
Porphyrin
Reaction of (POR)$M(OAc)_2$ (M = Zr, Hf) with ^{n}BuLi and solid state structure of $[(TPP)Zr(\mu\text{-}OH)_2]_2$ (J.L. Huhmann, J.Y. Corey, N.P. Rath and C.F. Campana), 17
Potassium
The decomposition reaction of the dialane radical anion $[R_2Al\text{-}AlR_2]^-$ in DME(II): crystal structures of the aluminium glycolates $[R_2Al(OCH_2)_2]K$(DME) and $R_2Al(OCH_2)_2Al(R)(OCH_2)_2AlR_2$ (R = $CH(SiMe_3)_2$) (W. Uhl, R. Gerding and A. Vester), 163
Preparation
Preparation of the alkynyl–hydride complexes MH(C≡CR)$\{PPh(OEt)_2\}_4$ of iron and ruthenium (G. Albertin, S. Antoniutti and E. Bordignon), 147
Protonation
Preparation of the alkynyl–hydride complexes MH(C≡CR)$\{PPh(OEt)_2\}_4$ of iron and ruthenium (G. Albertin, S. Antoniutti and E. Bordignon), 147
Pyrazolylborates
Organotin(IV) polypyrazolylborates. IX. Tetrakis(4-methyl-1*H*-pyrazol-1-yl)borates. Characterisation, Mössbauer study and X-ray crystal structure of $Cl_3Sn(\mu\text{-}4\text{-}MePz)_3B(4\text{-}MePz)$ (G. Gioia Lobbia, P. Cecchi, C. Santini, S. Calogero, G. Valle and F.E. Wagner), 137
Pyridyls
Ruthenium clusters with nitrogen ligands. V. Pyridyl ligands on triruthenium cores. X-ray structures of $Ru_3(\mu\text{-}H)_2(\mu\text{-}NC_5H_4)_2(CO)_8$ and $Ru_3(\mu_3\text{-}\eta^2\text{-}PPhCH_2PPh_2)(\mu\text{-}NC_5H_4)(CO)_8$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 201
Radical
The decomposition reaction of the dialane radical anion $[R_2Al\text{-}AlR_2]^-$ in DME(II): crystal structures of the aluminium glycolates $[R_2Al(OCH_2)_2]K$(DME) and $R_2Al(OCH_2)_2Al(R)(OCH_2)_2AlR_2$ (R = $CH(SiMe_3)_2$) (W. Uhl, R. Gerding and A. Vester), 163
Rh
Steric effects in organometallic compounds. A ^{103}Rh NMR study of alkylrhodoximes (F. Asaro, G. Costa, R. Dreos, G. Pellizer and W. Von Philipsborn), 193
^{103}Rh NMR
Steric effects in organometallic compounds. A ^{103}Rh NMR study of alkylrhodoximes (F. Asaro, G. Costa, R. Dreos, G. Pellizer and W. Von Philipsborn), 193
Ru
Coordination chemistry of mono- and di-nitriles in $[Ru_3(CO)_{12-n}(RCN)_n]$ ($n = 1$–3): influence of the CO/nitrile ratio on fluxionality (P. Grenouillet and C. De Bellefon), 155
Ruthenium
High nuclearity ruthenium carbonyl cluster chemistry. IV. Reactivity of $[Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{24}]^-$ towards trimethylphosphite or bis(diphenylphosphino)acetylene; X-ray crystal structure of $[PPh_4][Ru_{10}(\mu\text{-}H)(\mu_6\text{-}C)(CO)_{22}\{P(OMe)_3\}_2]$ (M.P. Cifuentes, M.G. Humphrey and A.C. Willis), 85
Preparation and properties of diruthenium complexes with bridging disulfide and thiolate ligands $[Cp^*Ru(\mu\text{-}S_2)(\mu\text{-}SR)_2RuCp^*]$ ($Cp^* = \eta^5\text{-}C_5Me_5$, R = Pr^i and $PhCH_2$) (Y. Mizobe, M. Hosomizu, S. Kuwata, J.-i. Kawabata and M. Hidai), 231
Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with functional phosphines. X-ray structures of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)$(dppm)$(CO)_{12} \cdot CHCl_3$ $Ru_5(\mu_5\text{-}C_2H)(\mu\text{-}PPh_2)_2(\mu\text{-}P,N\text{-}PPh_2C_6H_4NH\text{-}2)(\mu\text{-}CO)(CO)_{10}$, $Ru_4\{\mu_4\text{-}C_2PPh_2[Ru(\mu\text{-}OH)(C,P\text{-}2\text{-}CHMeC_6H_4PPh_2\text{-}2)(CO)_2]\}$ $(\mu\text{-}PPh_2)(CO)_{10} \cdot CHCl_3$ and $Ru_5(\mu\text{-}H)_2\{\mu_5\text{-}PPh_2C_2CHC(C_6H_4PPh_2\text{-}2)\}(\mu\text{-}PPh_2)(CO)_{11}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 255
Ruthenium clusters with nitrogen ligands. V. Pyridyl ligands on triruthenium cores. X-ray structures of $Ru_3(\mu\text{-}H)_2(\mu\text{-}NC_5H_4)_2$-

$(CO)_8$ and $Ru_3(\mu_3\text{-}\eta^2\text{-}PPhCH_2PPh_2)(\mu\text{-}NC_5H_4)(CO)_8$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 201

Silane
Reaction of $(POR)M(OAc)_2$ (M = Zr, Hf) with ^{n}BuLi and solid state structure of $[(TPP)Zr(\mu\text{-}OH)_2]_2$ (J.L. Huhmann, J.Y. Corey, N.P. Rath and C.F. Campana), 17

Silicon
Polymeric chains from $[\{Ph_2SiOLi \cdot THF)_2O\}_2]$ and linear dicoordinating nitrogen bases. Crystal X-ray structures of $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2DABCO]$, DABCO = 1,4-diazabicyclo[2.2.2]octane, and $[\{Ph_2SiOLi)_2O \cdot THF\}_2 \cdot 2\{4,4'\}$-bipyridine] (M. Motevalli, D. Shah and A.C. Sullivan), 239

Square-planar complexes
Reaction products of CO with square-planar platinum(II)-(*N*,*N*-chelate) complexes: synthesis and reactivity (V. De Felice, A. De Renzi, M.L. Ferrara and A. Panunzi), 97

Stereoselection
Synthesis and reactions of $[(((\eta^6)$-2-acylaryl)-C,O)tetracarbonylmanganese]- tricarbonylchromium complexes: enhancement of diastereoselection during cyclopentaannulation (G.R. Clark, M.R. Metzler, G. Whitaker and P.D. Woodgate), 107

Stereospecific polymerization
XLVII. Darstellung und Charakterisierung einiger anionischer Allylneodym(III)-Komplexe als Katalysatoren für die stereospezifische Butadienpolymerisation: $Li[Nd(\eta^3\text{-}C_3H_5)_4] \cdot 1,5$Dioxan, $Li[Nd(\pi\text{-}C_5H_5)(\eta^3\text{-}C_3H_5)_3] \cdot 2$Dioxan und $Li[Nd(\eta^5\text{-}C_5Me_5)(\eta^3\text{-}C_3H_5)_3] \cdot 3$Dimethylglykolether (R. Taube, S. Maiwald und J. Sieler), 37

Steric effects
Steric effects in organometallic compounds. A ^{103}Rh NMR study of alkylrhodoximes (F. Asaro, G. Costa, R. Dreos, G. Pellizer and W. Von Philipsborn), 193

Synthesis
A practical synthesis of ethynylferrocene from ferrocene carboxaldehyde: structure of 1,4-diferrocenyl-1,3-butadiyne (J.-G. Rodriguez, A. Oñate, R.M. Martin-Villamil and I. Fonseca), 71
Reaction products of CO with square-planar platinum(II)-(*N*,*N*-chelate) complexes: synthesis and reactivity (V. De Felice, A. De Renzi, M.L. Ferrara and A. Panunzi), 97
Synthesis of a novel planar hexaosmium carbonyl cluster: crystal structure of $[HOs_6(CO)_{20}(\mu\text{-}\eta^2\text{-}NC_5H_4CH{=}CH)]$ (W.-Y. Wong and W.-T. Wong), 27

Tautomerism
Tautomerism in coordinated 1-phenyl-5-thione-1,2,3,4-tetrazole (HL). Synthesis and crystal structure of $[SnMe_2(phen)L_2]$ (phen = 1,10-phenanthroline) (J. Bravo, M.B. Cordero, J.S. Casas, M.V. Castaño, A. Sánchez and J. Sordo), 63

Tellurium
Solvothermal synthesis, molecular structures and spectroscopic characterization of the cluster compounds $(Ph_4P)_2[Fe_4Te_2(CO)_{14}]$ and $Cs[HFe_3Te(CO)_9]$ (B.K. Das and M.G. Kanatzidis), 1

Tertiary chalcogenides
Pentamethylcyclopentadienyliridium(III) complexes containing tertiary phosphorus chalcogenide ligands: crystal structure of $[(\eta^5C_5Me_5)Ir\{PO(OMe)_2\}\{\eta^2(SPPh_2)_2CH_2\text{-}S,S'\}]BF_4 \cdot 0.5Me_2CO$ (M. Valderrama and R. Contreras), 7

Thiolate
Preparation and properties of diruthenium complexes with bridging disulfide and thiolate ligands $[Cp^*Ru(\mu\text{-}S_2)(\mu\text{-}SR)_2RuCp^*]$ ($Cp^* = \eta^5\text{-}C_5Me_5$, R = Pr^i and $PhCH_2$) (Y. Mizobe, M. Hosomizu, S. Kuwata, J.-i. Kawabata and M. Hidai), 231

Thionetetrazoles
Tautomerism in coordinated 1-phenyl-5-thione-1,2,3,4-tetrazole (HL). Synthesis and crystal structure of $[SnMe_2(phen)L_2]$ (phen = 1,10-phenanthroline) (J. Bravo, M.B. Cordero, J.S. Casas, M.V. Castaño, A. Sánchez and J. Sordo), 63

Tin
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213
Organotin(IV) polypyrazolylborates. IX. Tetrakis(4-methyl-1*H*-pyrazol-1-yl)borates. Characterisation, Mössbauer study and X-ray crystal structure of $Cl_3Sn(\mu\text{-}4\text{-}MePz)_3B(4\text{-}MePz)$ (G. Gioia Lobbia, P. Cecchi, C. Santini, S. Calogero, G. Valle and F.E. Wagner), 137
Outer-sphere coordination of *o*-phenanthroline in bis[aquachlorotri(*p*-chlorophenyl)tin·*o*-phenanthroline] (S.W. Ng and V.G. Kumar Das), 105
Tautomerism in coordinated 1-phenyl-5-thione-1,2,3,4-tetrazole (HL). Synthesis and crystal structure of $[SnMe_2(phen)L_2]$ (phen = 1,10-phenanthroline) (J. Bravo, M.B. Cordero, J.S. Casas, M.V. Castaño, A. Sánchez and J. Sordo), 63

Titanium
$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173

Tri-*iso*-propylsilylphosphane
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213

Trinuclear clusters
Coordination chemistry of mono- and di-nitriles in $[Ru_3(CO)_{12-n}(RCN)_n]$ (n = 1–3): influence of the CO/nitrile ratio on fluxionality (P. Grenouillet and C. De Bellefon), 155

Tungsten
Phosphenium-Übergangsmetallkomplexe. XXVIII. PH-funktionalisierte Phosphametallacyclen $C_5R_5(OC)_2W\text{-}PH(t\text{-}Bu)\text{-}X$ (R = H, Me; X = S, Se, Te) mit Dreiringstruktur (W. Malisch, K. Grün, U.-A. Hirth und M. Noltemeyer), 31

Wittig reaction
A practical synthesis of ethynylferrocene from ferrocene carboxaldehyde: structure of 1,4-diferrocenyl-1,3-butadiyne (J.-G. Rodriguez, A. Oñate, R.M. Martin-Villamil and I. Fonseca), 71

X-ray
Organotin(IV) polypyrazolylborates. IX. Tetrakis(4-methyl-1*H*-pyrazol-1-yl)borates. Characterisation, Mössbauer study and X-ray crystal structure of $Cl_3Sn(\mu\text{-}4\text{-}MePz)_3B(4\text{-}MePz)$ (G. Gioia Lobbia, P. Cecchi, C. Santini, S. Calogero, G. Valle and F.E. Wagner), 137

X-ray crystal structure
A practical synthesis of ethynylferrocene from ferrocene carboxaldehyde: structure of 1,4-diferrocenyl-1,3-butadiyne (J.-G. Rodriguez, A. Oñate, R.M. Martin-Villamil and I. Fonseca), 71

X-ray structure
NMR-spektroskopische und strukturelle Charakterisierung der Tri-*iso*-propylsilylphosphanide des Calciums (M. Westerhausen, R. Löw und W. Schwarz), 213
Preparation and properties of diruthenium complexes with bridging disulfide and thiolate ligands $[Cp^*Ru(\mu\text{-}S_2)(\mu\text{-}SR)_2RuCp^*]$ ($Cp^* = \eta^5\text{-}C_5Me_5$, R = Pr^i and $PhCH_2$) (Y. Mizobe, M. Hosomizu, S. Kuwata, J.-i. Kawabata and M. Hidai), 231
Reactions of dinuclear and polynuclear complexes. XVI. Chemistry of hydrido-, thiolato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}SR)(CO)_4]$ (R = Me, Ph): Reactivity and electrochemical behaviour; crystal

structure of $[Mo_2Cp_2(\mu\text{-SPh})\{\mu\text{-}\sigma : \eta^2\text{-}C(CH_3)=CHCH_3\}(CO)_2]$ (P. Schollhammer, F.Y. Pétillon, S. Poder-Guillou, J. Talarmin, K.W. Muir and D.S. Yufit), 181

Synthesis, characterisation and X-ray crystal structures of diorganotin(IV) complexes with 2-mercaptopyridine derivatives (M.D. Couce, G. Faraglia, U. Russo, L. Sindellari and G. Valle), 77

Tautomerism in coordinated 1-phenyl-5-thione-1,2,3,4-tetrazole (HL). Synthesis and crystal structure of $[SnMe_2(phen)L_2]$ (phen = 1,10-phenanthroline) (J. Bravo, M.B. Cordero, J.S. Casas, M.V. Castaño, A. Sánchez and J. Sordo), 63

Zirconium

Novel monoanionic di-*N*,*N'*-centred chelating ligands and their C_1 and C_2 symmetrical zirconium complexes (B.-J. Deelman, P.B. Hitchcock, M.F. Lappert, H.-K. Lee and W.-P. Leung), 281

Reaction of $(POR)M(OAc)_2$ (M = Zr, Hf) with ^{n}BuLi and solid state structure of $[(TPP)Zr(\mu\text{-}OH)_2]_2$ (J.L. Huhmann, J.Y. Corey, N.P. Rath and C.F. Campana), 17

$(THFMgNPh)_6$ as an imide transfer agent: synthesis of titanium and zirconium imido complexes (W.J. Grigsby, M.M. Olmstead and P.P. Power), 173